

[WWW.BLB.PT](http://WWW.BLB.PT)



HEAVY GAUGE VITREOUS ENAMEL STEEL

STANDARD GAUGE VITREOUS ENAMEL STEEL





HEAVY GAUGE VITREOUS ENAMEL STEEL

---

**SHOWCASE**

---

STANDARD GAUGE VITREOUS ENAMEL STEEL

**BB**

# STEEL BATHTUBS

												
	<b>HG</b> 14 <b>DUO COMFORT OVAL WOODLINE</b>	●			●							●
	<b>HG</b> 16 <b>DUO COMFORT OVAL WITH PANNELING</b>	●			●		●		●	●	●	●
	<b>HG</b> 18 <b>DUO COMFORT WITH PANNELING</b>	●			●		●		●	●	●	●
	<b>HG</b> 20 <b>UNIVERSAL ANATÓMICA OVAL WITH PANNELING</b>	●			●	●	●		●	●	●	●
	<b>HG</b> 22 <b>DUO COMFORT OVAL</b>				●	●	●		●	●	●	●
	<b>HG</b> 24 <b>DUO COMFORT</b>		●	●	●	●	●		●	●	●	●
	<b>HG</b> 26 <b>UNIVERSAL ANATÓMICA OVAL</b>				●	●	●		●	●	●	●

# STEEL BATHTUBS

HG

SG

-  FREESTANDING STRUCTURE
-  BATHTUB FURNITURE
-  VITREOUS ENAMEL STEEL PANELS
-  CHROMED HANDLES
-  WHIRL SYSTEM
-  ENAMELLED ANTI-SLIP
-  EMBOSSED ANTI-SLIP
-  METAL FEET
-  SOUNDPROOFING KIT
-  TAP HOLES
-  WASTE VALVE

Freestanding Structure	Bath Tub Furniture	Vitreous Enamel Steel Panels	Chromed Handles	Whirl System	Enamelled Anti-Slip	Embossed Anti-Slip	Metal Feet	Soundproofing Kit	Tap Holes	Waste Valve	Model	Height	Image
●	●	●	●	●	●	●	●	●	●	●	ATLANTICA HG	28	
●	●	●	●	●	●	●	●	●	●	●	UNIVERSAL DUO HG	30	
●	●	●	●	●	●	●	●	●	●	●	UNIVERSAL ANATÓMICA SHOWER-BATH HG	32	
●	●	●	●	●	●	●	●	●	●	●	UNIVERSAL ANATÓMICA HG	34	
●	●	●	●	●	●	●	●	●	●	●	UNIVERSAL HG	36	
●	●	●	●	●	●	●	●	●	●	●	UNIVERSAL LOW VOLUME HG	36	
●	●	●	●	●	●	●	●	●	●	●	ATLÂNTICA	38	



# STEEL BATHTUBS



FREESTANDING  
STRUCTURE

BATHTUB  
FURNITURE

VITREOUS ENAMEL  
STEEL PANELS

CHROMED  
HANDLES

WHIRL  
SYSTEM

ENAMELLED  
ANTI-SLIP

EMBOSSED  
ANTI-SLIP

METAL  
FEET

SOUNDPROOFING  
KIT

TAP  
HOLES

WASTE  
VALVE



SG  
40

**UNIVERSAL ANATÓMICA**



SG  
42

**UNIVERSAL**



SG  
42

**UNIVERSAL LOW VOLUME**



SG  
44

**EUROPA**



SG  
44

**EUROPA LOW VOLUME**



SG  
46

**EUROPA WITH SEAT**



# STEEL SHOWER TRAYS

HG

SG



SHOWERTRAY  
FURNITURE



INSTALLATION  
SYSTEM FRAME I



INSTALLATION  
SYSTEM FRAME II



WASTE VALVE



ENAMELLED  
ANTI-SLIP



EMBOSSED  
ANTI-SLIP



SOUNDPROOFING  
KIT



**SUPERSLIM**

HG  
48



**EASYSLIM**

HG  
50



**UNIVERSAL PENTAGONAL**

HG  
52



**UNIVERSAL**

HG  
54



**UNIVERSAL CORNER**

HG  
56



HG

SG

# STEEL SHOWER TRAYS

SHOWERTRAY  
FURNITUREINSTALLATION  
SYSTEM FRAME IINSTALLATION  
SYSTEM FRAME II

WASTE VALVE

ENAMELLED  
ANTI-SLIPEMBOSSED  
ANTI-SLIPSOUNDPROOFING  
KIT

HG ETI

58 **UNIVERSAL PENTAGONAL ETI**  
*with permanently formed apron*



HG ETI

60 **UNIVERSAL SQUARE ETI**  
*with permanently formed apron*



SG

62 **UNIVERSAL**



SG

64 **UNIVERSAL CORNER**



SG

66 **EUROPA**



## HG HEAVY GAUGE VITREOUS ENAMEL STEEL

Our Heavy Gauge Vitreous Enamel Steel products are achieved through the combination of the traditional properties and attributes of glass bonded to High Grade steel at a temperature above 850 °C. This perfect arrangement combined with magnetic soundproof pads results in excellent Heavy Duty performances, anti-noise and heat retention properties making this series an ideal solution for hotel, vertical construction bathrooms, and public facilities projects. The proven features as well as the cost efficiency of our Heavy Gauge Vitreous enamel Steel products makes them the smartest alternative to traditional cast iron bathtubs.

# WASHBASINS

HG

SG



**GLOBO**

HG  
68



**RONDO**

HG  
70



**BALTIC**

HG  
72



**MEDITERRANEAN**

HG  
74



## STANDARD GAUGE VITREOUS ENAMEL STEEL

SG

For more economical options, our standard gauge series is the ideal solution for housing and vertical bathroom construction projects. Our wide variety of models and sizes available in this series will no doubt satisfy the most demanding client. The high level of quality and the proven resistance to chemical and staining agents, surface impacts, scratch, abrasion, colourfast and lightfast will guarantee you a lifetime product. The versatility of the standard gauge series provides the customer with an efficient cost/quality alternative.

## **BLB IS RENOWNED IN THE WORLD OF METALLURGICAL INDUSTRY, SPECIALIZING IN THE PRODUCTION OF STANDARD AND HEAVY GAUGE VITREOUS ENAMEL STEEL BATHTUBS, SHOWER TRAYS AND WASHBASINS.**

FOUNDED:  
1966

HEADQUARTERS AND SHOWROOM:  
ÁGUEDA, PORTUGAL

PRODUCTION:  
ÁGUEDA, PORTUGAL

PRODUCTION CAPACITY:  
1.2 MILLION PIECES/YEAR

### **MISSION AND VALUES**

BLB's mission is to develop a product and a sustainable working method enabling it to satisfy the future generations of workers, clients, suppliers, shareholders and community where it is "active" since 1966 in order to continuously become bigger, stronger.

### **TECHNICALLY SUPERIOR**

In a fast changing industry and global economy BLB recognises the importance of Research & Development in securing the future of the Company and, as such, it ensures that production processes are efficient, making the products technically superior with a natural advantage in the market place.

The raw materials used in manufacturing BLB products are provided by highly qualified suppliers capable of meeting the necessary demands in terms of quality.

Coping with increased environmental regulations and directives is not a problem for this innovator. BLB actually manufacture a product which is 100% recyclable!  
The Company has also been certified with both ISO 9001 Quality Certification and ISO 14001 Environment Certification.

However, focus is not on awards but on the satisfaction of its clients and end users. That is an award in itself.

BLB's first certification according to ISO quality standards dates back from 1998 and is at present certified according to ISO 9001:2008.

BLB's global quality management system is maintained and improved having as goal to be focused on producing and supplying high standard quality products and providing maximum customer satisfaction and adopting guidelines of continuous improvement.

### **BLB INTEGRATES THE QUALITY PRINCIPLES IN THE COMPANY POLICY, IN ORDER TO ACHIEVE EFFICIENT PROCESSES ON ORGANISATION, AND TO BE SUPPORTED BY HIGH SKILLED AND TRAINED TECHNICAL AND PRODUCTION TEAMS AS WELL AS TO SETTLE METICULOUS CONTROLS OF RAW MATERIALS, PROCESSES AND PRODUCTS.**

All products manufactured by BLB fulfil every technical requirements established by the wide variety of markets where they are sold and for specific markets they are fully accredited by product certifications such as N Mark and NF Mark.

Additionally all BLB products comply with the CE marking requirements as established in the relevant EN standards for enamelled steel products.

BLB has an environment management system certified according to ISO 14001 since 2004. The principle of pollution reduction and minimization of environmental impacts is consolidated in the company policy.

The best available techniques are adopted in manufacturing processes with the intention that gas and liquid emissions and waste production are minimized.

Establishing ambitious goals to reduce consumption of energy and material resources is another commitment to environment protection.

During product development the environmental aspects are also considered with the aim of reducing impacts. In this process is considered the optimization of resource consumption (packaging materials, raw-materials, and for example water consumption by users) and production of waste from packaging materials at the construction site.



MATERIAL EXCELLENCE

# PROVEN RESISTANCE

ALWAYS PROMOTING A BETTER HYGIENIC LEVEL OF WORLD-WIDE SOCIETIES WITH A MINIMAL IMPACT TO THE ENVIRONMENT.



ALL OUR VITREOUS ENAMEL STEEL BATHTUBS AND SHOWER TRAYS ARE MADE OF THREE-COATS-TWO-FIRES VITREOUS ENAMEL STEEL, AN ELITE MATERIAL WITH THE MAXIMUM DEGREE OF ABRASION, SCRATCH AND IMPACT RESISTANCE.

FOR REASONS OF QUALITY CONTROL, WE ALWAYS WORK DIRECTLY WITH THE WORLD'S LEADING SUPPLIERS OF ENAMELS AND STEEL ALLOWING US TO HAVE A DEDICATED TEAM OF ENGINEERS, CHEMISTS, DESIGNERS, TECHNICIANS AND MANUFACTURING OPERATORS CONSTANTLY WORKING TO CREATE SYNERGIES IN ORDER TO FORMULATE SPECIALIZED ENAMELS AND STEEL TO PROVIDE OUR CUSTOMERS THE BEST SOLUTIONS IN THE WORLD.

## CHEMICALS AND STAINING AGENTS

<b>SULFURIC ACID</b>	<b>ACETIC ACID</b>	<b>ETHANOL METHYLENE BLUE</b>	<b>SODIUM HYPOCHLORITE</b>	<b>SODIUM HYDROXIDE</b>	<b>BOILING WATER</b>	<b>BOILING CITRIC ACID</b>	<b>COLD CITRIC ACID</b>
ISO 28706-1	EN 14516	EN 14516	EN 14516	EN 28706-3	EN 28706-2	ISO 28706-2	ISO 28706-1

<b>TEMPERATURE CHANGES</b>	<b>SCRATCHES AND ABRASION</b>	<b>DIMENSIONAL STRICTNESS</b>	<b>BACTERIA AND FUNGOS</b>	<b>STABILITY OF BOTTOM</b>
EN 14516 Maximum efficiency	EN 14688	EN 14516 / EN 232	Maximum efficiency	EN 14516

The main goal of green building/ sustainable building is to use environmentally responsible/friendly and resource-efficient processes throughout a building's life-cycle with the intention that the overall impact on human health and the natural environment is reduced.

In these processes, design, maintenance and demolition have an important role and within this philosophy the use of vitreous enamelled steel products contribute significantly to the reduction of these environmental impacts: waste production, pollution, environmental degradation and resources. Consumption is reduced because vitreous enamelled steel Bathtubs and Shower trays are 100% recyclable and in this way allow sustainable development.



**ECOLOGICAL SUSTAINABILITY**



Environmental product declaration  
Declaração ambiental de produto

**EPD**

environdec.com

ISO 14025

## MATERIAL EXCELLENCE

# VITREOUS ENAMEL STEEL

## GOOD REASONS TO CHOOSE BLB VITREOUS ENAMEL STEEL BATHTUBS AND SHOWER TRAYS



### LONGEVITY

Even with a daily use and the appropriate cleaning, it will maintain its smoothness and brightness.

The life cycle of Vitreous Enamelled Steel products is very long due to its resistance properties to corrosion (weather, saline atmosphere and water steam), chemical products (alkalis, acids and cleaning agents) as well as to scratches and abrasion. It is also important to mention the excellent dielectric properties and the fact that ultraviolet rays do not affect enamelled steel colours neither the gloss of the surface.



### EASY TO INSTALL

BLB offers an assortment of installation solutions (front and side panels, free-standing panels, feet, installation system frames, furniture) as well as a range of special features and accessories (anti-noise, handles, pillows, waste valves, enamel anti-slip, tap-holes).



### TIMELESS DESIGNS

Timeless Bathtubs are always in trend no matter what because of its physical appearance (it's like having a little black dress in the wardrobe where it can be worn in many different ways for various occasions). For that reason the right choice of the bathtub design will influence the lifetime of a bathroom.



### MAINTENANCE FREE

Porcelain does not require maintenance and can be washed repeatedly without affecting performance and aspect.



### COLOUR RANGE

It is available in a range of colours matching those of any producer of sanitary ceramics.



### STRONG AS STEEL AND HARD AS A ROCK

BLB Vitreous Steel Bathtubs and Shower trays are extremely stable when submitted to loads up to 300Kg.



### DIMENSIONAL STRICTNESS

Every Bathtub or Shower-Tray is submitted to several dimensional controls to guarantee a constant dimensional strictness.



### MAXIMUM SOUND INSULATION

BLB Vitreous Enamel Steel Bathtubs and Shower Trays in conjunction with BLB anti-noise pads provide optimum sound protection against the noise impact during use.



### ANTI-SLIP BASE

BLB's vitreous enamel anti-slip is made of a combination of quartz and sand, and is permanently bound to Steel Enamel Surface. The BLB's Vitreous Enamel Anti-Slip surface will provide you a long lasting and secure shower area.



### TECHNOLOGICALLY ADVANCED ENAMEL FORMULATION

BLB has always worked directly with the world's leading suppliers of enamels and steel, allowing us to have a dedicated team of engineers, chemists, designers, technicians and manufacturing operators constantly working in creating synergies in order to formulate specialized enamels and steel to produce our specific physical characteristics.



### EASY TO REPAIR

BLB bathtub repair kit has been designed to be used by anyone, regardless of experience and comes complete with easy to follow, step by step instructions and your bathtub will be as good as new.



### ECOLOGICAL SUSTAINABILITY: PRODUCT 100% RECYCLABLE

The production process of vitreous enamel steel bathtubs and shower trays is mainly inorganic (Steel \*and Glass\*\*), therefore more environmentally friendly than plastic (organic - Crude oil). Our vitreous enamel steel products are 100% recyclable, and at the end of their product life cycle go straight back into steel production as raw materials.

\*Steel – Made from Iron and Coke (carbon).

\*\* Glass – Made from sand (quartz).



### EASY TO CLEAN

One of the major advantages is the fact that Vitreous enamelled surfaces avoid the proliferation of bacteria, does not absorb odours, and besides that is very easy to clean.



### HEAT RESISTANT

BLB Vitreous Enamel Steel Bathtubs and Shower trays are fire proof (cigarettes or candles) and heat. Of the point of view of security this feature is extremely important.



### NON-TOXIC

All products produced by BLB are free of any toxicity, making them non-toxic products and 100% human friendly.



### HARMONIOUS ENVIRONMENT ON YOUR BATHROOM

BLB Vitreous Enamel Steel matches perfectly with porcelain, tiles and enclosures, giving it an harmonized appearance.



ALWAYS

# THINKING GREEN

**BLB'S SUSTAINABILITY COMMITMENT**

**BLB INDÚSTRIAS METALÚRGICAS, S.A. IS THE PIONEER COMPANY IN THE SANITARY APPLIANCES FIELD TO PUBLISH IN 2011 AN ENVIRONMENTAL PRODUCT DECLARATION IN THE INTERNATIONAL ENVIRONDEC PROGRAM EPD® FOR THE COMPLETE RANGE OF THE VITREOUS ENAMELLED PRODUCTS PRODUCED BY THE COMPANY.**

**FOLLOWING THE AIM OF CONTINUOUS IMPROVEMENT AND IN THE LINE OF SUSTAINABILITY VALUES, ANOTHER IMPORTANT STEP WAS REACHED WITH THE RECENT RENOVATION OF BLB ENVIRONMENTAL PRODUCT DECLARATION (ACCORDING TO EN 15804 - SUSTENTABILITY OF CONSTRUCTION WORKS) IN THE SWEDISH OFFICIAL INTERNATIONAL EPD® PROGRAM. (WWW.ENVIRONDEC.COM).**

BLB - Indústrias Metalúrgicas S.A., whose main activity is the production of enamelled steel sanitary products, includes sustainability as one of the crucial corporate principles of our organization.

Having in mind that sustainable development is the one that meets the needs of the present without compromising the ability of future generations to meet their own needs, BLB is committed to this value by adopting an Environmental Policy that includes statements concerning environmental improvement, prevention of pollution and fulfilment of all legal requirements.

The orientation towards sustainability is applied not only in production processes but also in innovation and design.

Since 2003 our environmental performance has been improved and subjected to external validation with the certification according to ISO 14001.

The main goal of green building/ sustainable building is to use environmentally responsible/ friendly and resource-efficient processes throughout a building's life-cycle with the intention that the overall impact on human health and the natural environment is reduced.

## EPD

The Environmental product Declaration communicates the environmental performance of BLB vitreous enamelled steel products, using scientifically based and transparent information verified by a third party.

The main purpose of the international EPD® system is to provide verified and comparable information about environmental performance of products, as today the markets are more and more demanding in all that concerns raw material supply-chain for product development and green procurement.

The use of EPD's verified and accurate information is an helpful tool to enhance the understand of the environmental performance of products. The overall goal of an EPD is to encourage the demand and supply of those products that cause less stress on the environment through communication of verifiable and accurate information that is not misleading, thereby stimulating the potential for market-driven continuous environmental improvement.

The EPD follows the requirements of ISO 14025 standard and is based on the life cycle assessment (LCA) of the product performed using the methodology of EN 15804 and ISO 14044.

**THE INFORMATION THAT RESULTS FROM THE EPD ASSISTS PURCHASERS AND USERS TO MAKE INFORMED COMPARISONS BETWEEN PRODUCTS, ENCOURAGES IMPROVEMENT OF ENVIRONMENTAL PERFORMANCE AND PROVIDES INFORMATION FOR ASSESSING THE ENVIRONMENTAL ASPECTS OF PRODUCTS OVER THEIR LIFE CYCLE.**

## BLB's EPD

The LCA is ultimately the compilation and evaluation of the inputs, outputs and the potential environmental impacts of a product system throughout its life cycle. Information such as energy and raw material resources, gas emissions and waste production is assessed in the complete lifecycle.

In the LCA of BLB products the functional unit used for the analysis was 1 sqm of enamelled steel and the following environmental indicators have been assessed in the life cycle of the product:

Global Warming Potential (100 years) (kg CO2-Equivalents), associated to gas emissions that contribute to green house effect causing global increase of earth surface temperature.

Ozone Layer Depletion Potential (steady state) (kg R11-Equivalents), connected with the reduction of the earth stratospheric ozone layer caused by gas emissions.

Acidification Potential (kg SO2-Equivalents.), related to combustion processes producing acid rain that causes damages to vegetation and aquatic life.

Photochemical Ozone Creation Potential (kg Ethene-Equivalents), linked with emissions of chemical compounds such as nitrogen oxides that in presence of Volatile organic compounds and sunlight produce ozone that causes adverse effects on human health and crops.

Eutrophication Potential (kg PO4-Equivalents), associated to the increase of nutrients in water or soil leading to dense growth of plant life that depletes the supply of oxygen causing negative effects on animal life.

The results of impact assessment show that the most relevant potential impacts occur in the upstream module (with percentages ranging from 80% to 90%). These impacts are mostly related to the life cycle of steel. For this reason, steel recycling is an important factor in the life cycle of BLB products, as they contribute to a significant reduction of the potential impacts.

Due to the fact that vitreous enamelled steel products are 100% recyclable at the end of life, this contributes considerably to the reduction of impact.

For further information visit: [www.blb.pt](http://www.blb.pt)



THIS VERSION OF THE DUO COMFORT OVAL IS AN INNOVATIVE CONCEPT THAT HAS NOW BEEN APPLIED TO STEEL BATHTUBS BY BLB. IT COMBINES A WOODEN STRUCTURE AND BATHTUB PAINTED ON THE OUTSIDE WITH ATTRACTIVE COLOURS SUCH AS BLUE, RED AND OCHRE, GIVING IT A LOOK USUALLY ONLY FOUND IN CAST IRON BATHTUBS.

**INCLUDES**

Black Piano Wooden structure, automatic chromed waste valve and waste connexion accessories.  
Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handle "Fresh model"  
Enamel Anti-Slip

**AVAILABLE SIZES**

1800 x 800 mm

**AVAILABLE COLOURS**

Inside: White and other sanitary colours.

Outside: Metalized Blue, Metalized Red, Metalized Ochre.


- RED
- BLUE
- OCHRE

**REMARKS**

30 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.



Ref.	Vol.
B800W	=160*

\* 70 litres displacement on average.

HEAVY GAUGE VITREOUS ENAMEL STEEL

# DUO COMFORT OVAL WOODLINE



FREE STANDING HEAVY GAUGE VITREOUS ENAMEL STEEL BATHTUB.  
THIS HEAVY GAUGE BATHTUB GIVES A BEAUTIFUL AND MODERN DESIGN TO YOUR BATHROOM.  
THIS BATHTUB WAS DESIGNED TO STAND DIRECTLY ON THE FLOOR OF THE BATHROOM AND DOES NOT REQUIRE 3 WALLS FOR INSTALLATION LIKE THE DROP IN BATHTUBS.



**INCLUDES**

Free-standing Panel, Automatic chromed waste valve, Waste connexion, Sound insulating set already assembled, Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handle "Fresh model", Enamel Anti-Slip, HID - Hydro-massage system.

**AVAILABLE SIZES**

1800 x 800 mm  
1700 x 750 mm  
1600 x 750 mm

**AVAILABLE COLOURS**


Inside: White, Black and other sanitary colours.  
Matte colours: White, Black.  
Panel colours: White and Black.

**REMARKS**

30 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.


**STANDARDS**

CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.



1700x750 / 1600x750


1800x800



Ref.	Vol.
B800P	≈160*

\* 70 litres displacement on average.

1700x750 / 1600x750



Ref.	X	Y	Vol.
B750P	1700	1590	≈130*
B650P	1600	1490	≈130*

\* 70 litres displacement on average.

HEAVY GAUGE VITREOUS ENAMEL STEEL

# DUO COMFORT OVAL WITH PANELLING



FREE STANDING HEAVY GAUGE VITREOUS ENAMEL STEEL BATHTUB. WITH ITS CLEAN AND ATTRACTIVE DESIGN DUO COMFORT PROVIDES A BATHING EXPERIENCE TO DELIGHT ALL THE SENSES. THIS FREESTANDING DESIGN CREATES A STRIKING FOCAL POINT IN YOUR BATHING AREA.



**INCLUDES**

Free-standing Panel, Automatic chromed waste valve, Waste connexion, Sound insulating set already assembled, Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handle "Fresh model", Enamel Anti-Slip, HID - Hydro-massage system.

**AVAILABLE SIZES**

1800 x 800 mm  
1700 x 750 mm  
1600 x 750 mm

**AVAILABLE COLOURS**

Inside: White, Black and other sanitary colours.  
Matte colours: White, Black.  
Panel colours: White and Black.


**REMARKS**

30 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.


**1800x800**



Ref.	Vol.
B80DP	≈160*

\* 70 litres displacement on average.

**1700x750 / 1600x750**



Ref.	X	Y	Vol.
B75DP	1700	1590	≈130*
B65DP	1600	1490	≈130*

\* 70 litres displacement on average.

HEAVY GAUGE VITREOUS ENAMEL STEEL

## DUO COMFORT WITH PANNELLING



DISCREET, REFINED, CLASSIC, MODERN AND SPIRITED CREATE YOUR DREAM BATHROOM WITH THE UNIVERSAL ANATÓMICA OVAL.

THIS BEAUTIFUL OVAL-SHAPED BATH WITH COMFORTABLE ARMRESTS, ONE ATTRACTIVE DOUBLE HANDLE MIXER TAP AND A MODERN SYMMETRICAL INTEGRAL APRON RESULTS IN A BATHROOM MASTERPIECE.

THIS BATHTUB WAS DESIGNED TO STAND DIRECTLY ON THE FLOOR OF THE BATHROOM AND DOES NOT REQUIRE 3 WALLS FOR INSTALLATION LIKE THE DROP IN BATHTUBS.



**INCLUDES**

Deck-mounted bath mixer with high central spout, bath-shower diverter, handshower and 1.75 m flexible shower hose, Free-standing Panel, Automatic chromed waste valve, Waste connexion, Sound insulating set already assembled, Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handles, Enamel Anti-Slip, HID- Hydro-massage system.

**AVAILABLE SIZES**

1800 x 800 mm.

**AVAILABLE COLOURS**

Inside: White, Black and other sanitary colours.

Matte colours: White and Black.


Panel colours: White and Black.

**REMARKS**

30 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.



Ref.	Vol.
B80YP	=120*

\* 70 litres displacement on average.

HEAVY GAUGE VITREOUS ENAMEL STEEL

# UNIVERSAL ANATÓMICA OVAL WITH PANNELING



MODERN DESIGN, DUO OVAL BATH WITH TWO IDENTICAL ANATOMICAL BACKRESTS AND DRAIN CENTRALLY POSITIONED, TURNING IT INTO A TWO-SEATER BATH.



1800x800



1700x750 / 1600x750

**INCLUDES**

Sound insulating set already assembled,  
Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handle "Fresh model",  
Enamel Anti-Slip, Tap holes,  
HID - Hydro-massage system.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps.

**AVAILABLE SIZES**

1800 x 800 mm  
1700 x 750 mm  
1600 x 750 mm

**AVAILABLE COLOURS**

Gloss colours: White and other  
sanitary colours.  
Matte colours: White, Black.


**REMARKS**

30 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch,  
abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining  
agents according to ISO 28706-1,  
ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration  
according to ISO 14025.


1800x800



Ref.	Vol.
B800	≈160*

\* 70 litres displacement on average.

1700x750 / 1600x750



Ref.	X	Y	Vol.
B750	1700	120	≈130*
B650	1600	70	≈130*

\* 70 litres displacement on average.

HEAVY GAUGE VITREOUS ENAMEL STEEL  
**DUO COMFORT OVAL**



MODERN DESIGN, RECTANGULAR EXTERIOR SHAPE, DUO BATH WITH TWO IDENTICAL ANATOMICAL BACKRESTS AND DRAIN CENTRALLY POSITIONED, TURNING IT INTO A TWO-SEATER BATH.



1800x800



1700x750 / 1600x750

**INCLUDES**

Sound insulating set already assembled, Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handle "Fresh model", Enamel Anti-Slip, Tap Holes, HID - Hydro-massage system.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps, Bathtub furniture, Vitreous enamel steel panelling system.

**AVAILABLE SIZES**

- 1800 x 800 mm
- 1700 x 750 mm
- 1600 x 750 mm

**AVAILABLE COLOURS**

Gloss Colours: White and other sanitary colours.  
Matte colours: White, Black.


**REMARKS**

30 years warranty, 100% recyclable, Heavy duty performances: Resistant to surface impacts, scratch, abrasion, colourfast and lightfast. Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2, Certified with Environdec.com, Environmental Product Declaration according to ISO 14025.


1800x800



Ref.	Vol.
B80D	≈160*

\* 70 litres displacement on average.

1700x750 / 1600x750



Ref.	X	Y	Vol.
B75D	1700	120	≈130*
B65D	1600	70	≈130*

\* 70 litres displacement on average.

HEAVY GAUGE VITREOUS ENAMEL STEEL

# DUO COMFORT



THE UNIVERSAL ANATÓMICA OVAL IS A CONTEMPORARY BROAD RIM SINGLE SEATER BATHTUB. THIS ELEGANT AND COMFORTABLE BATH WILL COMPLEMENT THE MODERN BATHROOM ENVIRONMENT. THE INCLUSION OF TWO SIDE ARM SUPPORTS PROVIDES MORE COMFORT, WITHOUT COMPROMISING USEFUL SPACE.

**INCLUDES**

Sound insulating set already assembled, Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handles, Enamel Anti-Slip, Tap Holes, HID- Hydro-massage system.

**INSTALLATION AIDS**

Metal feet, Waste valve and Taps.

**AVAILABLE SIZES**

1800 x 800 mm.

**AVAILABLE COLOURS**

Gloss colours: White and other sanitary colours.


Matte colours: White, Black.

**REMARKS**

30 years warranty, 100% recyclable, Heavy duty performances: Resistant to surface impacts, scratch, abrasion, colourfast and lightfast. Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2, Certified with Environdec.com, Environmental Product Declaration according to ISO 14025.



Ref.	Vol.
B80Y	≈120*

\* 70 litres displacement on average.

HEAVY GAUGE VITREOUS ENAMEL STEEL

# UNIVERSAL ANATÓMICA OVAL



WITH PLENTY OF SPACE, ITS WIDE INTERIOR AND ANATOMICAL DESIGN ENABLES YOU TO ENJOY YOUR BATH IN STYLE.



**INCLUDES**

Sound insulating set already assembled, Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handles, Enamel Anti-Slip, Tap Holes, HID- Hydro-massage system.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps, Bathtub furniture, Vitreous enamel steel panelling system and shower screen.

**AVAILABLE SIZES**

1800 x 800 mm  
1700 x 800 mm

**AVAILABLE COLOURS**


Gloss colours: White and other sanitary colours.  
Matte colours: White, Black.

**REMARKS**

30 years warranty, 100% recyclable, Heavy duty performances: Resistant to surface impacts, scratch, abrasion, colourfast and lightfast. Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2, Certified with Environdec.com, Environmental Product Declaration according to ISO 14025.



Art. Code	A	B	C	D	E	Vol.
B80 J	1800	1355	130	120	320	≈140*
B70 J	1700	1355	80	70	280	≈140*

\* 70 litres displacement on average.

HEAVY GAUGE VITREOUS ENAMEL STEEL

# ATLÂNTICA HG



TIMELESS DESIGN, DUO OVAL BATH WITH TWO IDENTICAL ANATOMICAL BACKRESTS AND DRAIN CENTRALLY POSITIONED, TURNING IT INTO A TWO-SEATER BATH.

ASYMMETRIC VERSION: WITH A SHELF AT FULL LENGTH WHICH BECOMES A COMFORTABLE SUPPORT FOR OBJECTS OR IDEAL SPACE TO HOST THE TAPS AND FITTINGS, AS IN THIS CASE FOR HAND SHOWER AND MIXERS.

THE VERSATILITY OF THE UNIVERSAL DUO ASYMMETRIC ALLOWS YOU TO PERSONALIZE THE POSITIONING OF THE TAPS THAT CAN BE LOCATED ON THE BATHTUB'S EDGE.

**INCLUDES**

Sound insulating set already assembled, Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handle "Fresh model", Enamel Anti-Slip, Tap holes, HID- Hydro-massage system.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps, Bathtub furniture, vitreous enamel steel panelling system.

**AVAILABLE SIZES**

- 1700 x 750 mm asymmetric
- 1700 x 750 mm
- 1700 x 700 mm

**AVAILABLE COLOURS**

Gloss colours: White and other sanitary colours.  
Matte colours: White, Black.

**REMARKS**

30 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**




CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.




UNIVERSAL DUO HG



UNIVERSAL DUO HYDRO HG



Asymmetric



Ref.	A	B	C	D	Vol.
B75P Assimetric Heavy Gauge	1700	1200	750	620	≈130*
B75Q Heavy Gauge	1700	1200	750	620	≈130*
B70Q Heavy Gauge	1700	1200	700	620	≈130*

\* 70 litres displacement on average.

HEAVY GAUGE VITREOUS ENAMEL STEEL  
**UNIVERSAL DUO HG**



ENJOY A RELAXING BATH OR SHOWER EXPERIENCE IN ONE PLACE. DESIGNED TO FACE THE CHALLENGES OF MODERN LIVING, THIS SHOWERBATH PROVIDES PLENTY OF SPACE AS WELL AS A LARGE STANDING AREA AT THE END OF THE BATHTUB ASSURING A PLEASANT BATH OR SHOWER EXPERIENCE. THE GENEROUS INTERIOR PROPORTIONS, COMPACT SIZE AND DUAL PURPOSE WILL CERTAINLY BE THE RIGHT OPTION FOR ANY BATHROOM.



**INCLUDES**

Sound insulating set already assembled, Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handles, Enamel Anti-Slip, Tap Holes, HID- Hydro-massage system.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps, Bathtub furniture, Vitreous enamel steel panelling system and shower screen.

**AVAILABLE SIZES**

1700 x 750 mm.

**AVAILABLE COLOURS**




Gloss colours: White and other sanitary colours. Matte colours: White, Black.

**REMARKS**

30 years warranty, 100% recyclable, Heavy duty performances: Resistant to surface impacts, scratch, abrasion, colourfast and lightfast. Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2, Certified with Environdec.com, Environmental Product Declaration according to ISO 14025.



Ref.	Vol.
B751	=120*

\* 70 litres displacement on average.



HEAVY GAUGE VITREOUS ENAMEL STEEL

# UNIVERSAL ANATÓMICA SHOWER-BATH HG



THE UNIVERSAL ANATOMICAL MODEL STANDS OUT FOR THE GEOMETRIC PURITY OF ITS LINES. THE DESIGN ENABLES YOU TO INCORPORATE THE BATH INTO DIFFERENT DECORATIVE STYLES. INTEGRAL ARMRESTS PROVIDE ADDITIONAL COMFORT.



UNIVERSAL ANATÓMICA HG



UNIVERSAL ANATÓMICA HYDRO HG

**INCLUDES**

Sound insulating set already assembled, Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handles, Enamel Anti-Slip, Tap holes, HID- Hydro-massage system.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps, Bathtub furniture, vitreous enamel steel panelling system and Shower screen.

**AVAILABLE SIZES**

1700 x 750 mm  
1600 x 750 mm  
1500 x 750 mm

**AVAILABLE COLOURS**


Gloss colours: White and other sanitary colours,  
Matte colours: White, Black.

**REMARKS**

30 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.



Ref.	A	B	Vol.
B75L	1700	1260	≈120*
B65L	1600	1160	≈110*
B55L	1500	1060	≈110*

\* 70 litres displacement on average.

HEAVY GAUGE VITREOUS ENAMEL STEEL

# UNIVERSAL ANATÓMICA HG



TIMELESS, CONCEPTUAL AND FUNCTIONAL DESIGN. THE VERSATILITY, ROBUSTNESS AND EASE WITH WHICH THE BATH CAN FIT INTO ANY STYLE OF BATHROOM ARE THE STRONG POINTS OF THIS MODEL. ALSO AVAILABLE IN LOW VOLUME SERIES: THE LOW TUB DEPTH ENABLES COMFORTABLE AND SAFER ENTRANCE AS WELL AS WATER SAVING.



UNIVERSAL HG



UNIVERSAL HYDRO HG

**INCLUDES**

Sound insulating set already assembled, Earthing strap for equipotential bonding.

**ACCESSORIES**

Chromed handles, Enamel Anti-Slip, Tap holes, HID- Hydro-massage system.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps, Bathtub furniture, Vitreous Enamel Steel Panelling system and Shower screen.

**AVAILABLE SIZES**

- 1700 x 750 mm      1700 x 700 mm
- 1600 x 750 mm      1600 x 700 mm
- 1500 x 750 mm      1500 x 700 mm
- 1400 x 750 mm      1400 x 700 mm

**Low volume series:**

- 1700 x 700 x 320 mm
- 1600 x 700 x 320 mm
- 1500 x 700 x 320 mm
- 1400 x 700 x 320 mm

**AVAILABLE COLOURS**


Gloss colours: White and other sanitary colours,  
Matte colours: White, Black.

**REMARKS**

30 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.



Ref.	A	B	C	D	E	F	Vol.
B75H	1700	1260	620	750	325	390	≈110*
B65H	1600	1160	640	750	325	390	≈100*
B55H	1500	1060	575	750	310	390	≈90*
B45H	1400	960	575	750	310	390	≈80*
B70H	1700	1260	575	700	310	390	≈110*
B60H	1600	1160	575	700	310	390	≈100*
B50H	1500	1060	575	700	310	390	≈90*
B40H	1400	960	575	700	310	390	≈80*
Ø B7LH	1700	1350	575	700	310	320	≈55*
Ø B6LH	1600	1250	575	700	310	320	≈45*
Ø B5LH	1500	1150	575	700	310	320	≈35*
Ø B4LH	1400	1050	575	700	310	320	≈30*

\* 70 litres displacement on average.

HEAVY GAUGE VITREOUS ENAMEL STEEL

# UNIVERSAL HG



WITH PLENTY OF SPACE, ITS WIDE INTERIOR AND ANATOMICAL DESIGN ENABLES YOU TO ENJOY YOUR BATH IN STYLE.

**ACCESSORIES**

Chromed handles, Enamel Anti-Slip, Tap holes, Sound insulating set.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps, Bathtub furniture, Vitreous enamel steel panelling system and Shower screen.

**AVAILABLE SIZES**

1800 x 800 mm  
1700 x 800 mm

**AVAILABLE COLOURS**


White and other sanitary colours.

**REMARKS**

5 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.



Ref.	A	B	C	D	E	Vol.
B80A	1800	1355	130	120	320	≈140*
B70A	1700	1355	80	70	280	≈140*

\* 70 litres displacement on average.

STANDARD GAUGE VITREOUS ENAMEL STEEL

ATLÂNTICA



THE UNIVERSAL ANATOMICAL MODEL STANDS OUT FOR THE GEOMETRIC PURITY OF ITS LINES. THE DESIGN ENABLES YOU TO INCORPORATE THE BATH INTO DIFFERENT DECORATIVE STYLES. INTEGRAL ARMRESTS PROVIDE ADDITIONAL COMFORT.



**ACCESSORIES**

Chromed handlesz, Enamel or Embossed Anti-Slip, Tap holes, Sound insulating set.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps, Bathtub furniture, Vitreous enamel steel panelling system and Shower screen.

**AVAILABLE SIZES**

1700 x 750 mm  
1600 x 750 mm  
1500 x 750 mm

**AVAILABLE COLOURS**


White and other sanitary colours.

**REMARKS**

5 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.



Ref.	A	B	Vol.
B75U	1700	1260	≈120*
B65U	1600	1160	≈110*
B55U	1500	1060	≈110*

\* 70 litres displacement on average.

STANDARD GAUGE VITREOUS ENAMEL STEEL  
**UNIVERSAL ANATÓMICA**



TIMELESS, CONCEPTUAL AND FUNCTIONAL DESIGN. THE VERSATILITY, ROBUSTNESS AND EASE WITH WHICH THE BATH CAN FIT INTO ANY STYLE OF BATHROOM ARE THE STRONG POINTS OF THIS MODEL. ALSO AVAILABLE ON LOW VOLUME SERIES: THE LOW TUB DEPTH ENABLES COMFORTABLE AND SAFER ENTRANCE AS WELL AS WATER SAVING.



**ACCESSORIES**

Chromed handles, Enamel or Embossed Anti-slip, Tap holes, Sound insulating set.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps, Bathtub furniture, Vitreous enamel steel panelling system and Shower screen.

**AVAILABLE SIZES**

- 1700 x 750 mm    1700 x 700 mm
- 1600 x 750 mm    1600 x 700 mm
- 1500 x 750 mm    1500 x 700 mm
- 1400 x 750 mm    1400 x 700 mm
- 1200 x 700 mm
- 1000 x 700 mm
- 1000 x 700 mm WITH SEAT

**AVAILABLE COLOURS**


White and other sanitary colours.

**REMARKS**

5 years warranty, 100% recyclable, Heavy duty performances: Resistant to surface impacts, scratch, abrasion, colourfast and lightfast. Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.


**STANDARDS**

CE mark according to EN 14516-CL1+CL2, Certified with Environdec.com, Environmental Product Declaration according to ISO 14025.




WITH SEAT

- Low volume series:**
- 1700 x 700 x 320 mm
  - 1600 x 700 x 320 mm
  - 1500 x 700 x 320 mm
  - 1400 x 700 x 320 mm



Ref.	A	B	C	D	E	F	F	Vol.
B75C	1700	1260	620	750	330	390	≈110*	
B65C	1600	1160	640	750	330	390	≈100*	
B55C	1500	1060	575	750	310	390	≈90*	
B45C	1400	1000	575	750	310	390	≈80*	
B70C	1700	1260	575	700	310	390	≈110*	
B60C	1600	1160	575	700	310	390	≈100*	
B50C	1500	1060	575	700	310	390	≈90*	
B40C	1400	1000	575	700	310	390	≈80*	
B20C	1200	825	575	700	290	415	≈40*	
B10C	1000	800	575	700	275	370	≈35*	
▲B7LC	1700	1350	575	700	310	320	≈55*	
▲B6LC	1600	1250	575	700	310	320	≈45*	
▲B5LC	1500	1150	575	700	310	320	≈35*	
▲B4LC	1400	1050	575	700	310	320	≈30*	

\* 70 litres displacement on average.



Ref.	Vol.
B15C	≈30*

\* 70 litres displacement on average.

STANDARD GAUGE VITREOUS ENAMEL STEEL

# UNIVERSAL



TO PROVIDE A SHOWER OR BATHING PLACE IN YOUR BATHROOM, YOU DON'T NEED TO GO OVER YOUR BUDGET. EUROPA BATHTUBS ARE AN AFFORDABLE SOLUTION THAT WILL PROVIDE YOU WITH COMFORT AND ENJOYMENT. WITH 7 DIFFERENT SIZES AVAILABLE, YOU WILL CERTAINLY FIND THE PERFECT ONE FOR YOUR BATHROOM.

ALSO AVAILABLE ON LOW VOLUME SERIES: THE LOW TUB DEPTH ENABLES COMFORTABLE AND SAFER ENTRANCE AS WELL AS WATER SAVING.



**ACCESSORIES**

Chromed handles, Enamel or Embossed Anti-slip, Sound insulating set.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps, Bathtub furniture, Vitreous enamel steel panelling system and Shower screen.

**AVAILABLE SIZES**

- 1700 x 700 mm
- 1600 x 700 mm
- 1500 x 700 mm
- 1400 x 700 mm
- 1300 x 700 mm
- 1200 x 700 mm
- 1050 x 700 mm

- 1700 x 750 mm
- 1600 x 750 mm
- 1500 x 750 mm

**NEW SIZES**

**AVAILABLE COLOURS**

White and other sanitary colours.

**REMARKS**

5 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.


**STANDARDS**

CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.



**Low volume series:**

- 1700 x 700 x 320 mm
- 1600 x 700 x 320 mm
- 1500 x 700 x 320 mm



Ref.	A	B	C	D	E	F	G	H	Vol.
B75E	1700	750	375	330	1220	590	110	80	105*
B65E	1600	750	375	330	1180	605	105	85	95*
B55E	1500	750	375	310	1120	565	105	70	85*
B70E	1700	700	375	285	1300	570	70	65	95*
B60E	1600	700	375	285	1200	570	70	65	=85*
B50E	1500	700	375	285	1100	570	70	65	=75*
B40E	1400	700	375	285	1000	570	70	65	=65*
B30E	1300	700	375	285	900	570	70	65	=55*
B20E	1200	700	375	285	800	570	70	65	=45*
B15E	1105	700	360	285	700	570	70	65	=35*
Ø B7LE	1700	700	320	285	1300	570	70	65	=65*
Ø B6LE	1600	700	320	285	1200	570	70	65	=55*
Ø B5LE	1500	700	320	285	1100	570	70	65	=45*

\* 70 litres displacement on average.

STANDARD GAUGE VITREOUS ENAMEL STEEL

# EUROPA



COMFORTABLE EVEN WHEN SMALL, THIS BATHTUB IS PERFECT FOR TINY SPACES AND COMES WITH A BUILT-IN SEAT FOR ADDED COMFORT AND SECURE GRIP AND ALSO ALLOWS FOR SAFE SEATING FOR CHILDREN OR PEOPLE WITH DISABILITIES.

**ACCESSORIES**

Sound insulating set.

**INSTALLATION AIDS**

Metal feet, Waste valve, Taps, Bathtub furniture and Shower screen.

**AVAILABLE SIZES**

1200 x 700 mm  
1050 x 700 mm

**AVAILABLE COLOURS**


White and other sanitary colours.

**REMARKS**

5 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch,  
abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining  
agents according to ISO 28706-1,  
ISO 28706-2 and EN 14516.

**STANDARDS**

CE mark according to EN 14516-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration  
according to ISO 14025.



Ref.	A	B	Vol.
B2SE	1200	645	≈90
B05E	1050	525	≈80

STANDARD GAUGE VITREOUS ENAMEL STEEL  
**EUROPA WITH SEAT**



ULTRA FLAT SHOWER TRAY WITH STRIKING AND TIMELESS DESIGN. THE EXCELLENT FEATURES OF VITREOUS ENAMEL SURFACE ARE PLEASANT TO THE TOUCH OFFERING YOU A UNIQUE BATHROOM EXPERIENCE AND THE ENAMEL ANTI-SLIP OFFERS EXCELLENT UNDERFOOT SAFETY IN THE SHOWER TRAY. THIS STRIKING SHOWER TRAY CAN BE INSTALLED TOTALLY FLUSH TO THE FLOOR AVOIDING DANGER OF FALLING AND IS SUITABLE FOR PEOPLE OF ALL GENERATIONS. THE ANGULAR CORNERS OF THE 4 EDGES ALLOW THE SUPERSLIM TO FIT HARMONIOUSLY INTO THE JOINT PATTERN OF THE TILES FLOOR CREATING THE IMPRESSION OF ONE CONTINUOUS AND UNIQUE FLOOR PIECE. IN ADDITION TO THE STANDARD COLOR RANGE WE OFFER SEVERAL STONE MATTE COLOURS MATCHING THE LATEST TRENDS IN FLOOR TILING.

**INCLUDES**

Sound insulating set, Waste valve with siphon.

**ACCESSORIES**

Anti-Slip.

**INSTALLATION AIDS**

ISF1 - Installation system frame for the flush-with-the-floor installation of ultra-flat shower-trays,  
 ISF2 - Aluminium Installation system frame for the flush-with-the-floor installation of ultra-flat shower-trays,  
 Taps, Shower cabinets and Hydro-massage Columns.

**AVAILABLE SIZES**

1000 x 750; 1000 x 800; 1000 x 850; 1000 x 900  
 1100 x 750; 1100 x 800; 1100 x 850; 1100 x 900  
 1200 x 750; 1200 x 800; 1200 x 850; 1200 x 900  
 1300 x 750; 1300 x 800; 1300 x 850; 1300 x 900  
 1400 x 750; 1400 x 800; 1400 x 850; 1400 x 900  
 1500 x 750; 1500 x 800; 1500 x 850; 1500 x 900  
 1600 x 750; 1600 x 800; 1600 x 850; 1600 x 900

**AVAILABLE COLOURS**



Gloss colours: White and other sanitary colours.  
 Matte colours: Black Ardosia, Anthracite, Graphite, White, Blue Limestone, Soft Blue Limestone, Grey, Soft Grey, Agate Brown, Light Agate Brown, Brownstone, Soft Brownstone, Aventurine Green, Aventurine Soft Green.

**REMARKS**

30 years warranty,  
 100% recyclable,  
 Heavy duty performances:  
 Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
 Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14527.

**STANDARDS**

CE mark according to EN 14527-CL1+CL2,  
 Certified with Environdec.com,  
 Environmental Product Declaration according to ISO 14025.



Ref.	A	B	Ref.	A	B
C109	1000	900	C380	1300	800
C158	1000	850	C375	1300	750
C108	1000	800	C490	1400	900
C157	1000	750	C485	1400	850
C190	1100	900	C480	1400	800
C185	1100	850	C475	1400	750
C180	1100	800	C590	1500	900
C175	1100	750	C585	1500	850
C290	1200	900	C580	1500	800
C285	1200	850	C575	1500	750
C280	1200	800	C690	1600	900
C275	1200	750	C685	1600	850
C390	1300	900	C680	1600	800
C385	1300	850	C675	1600	750

- BLACK ARDOSIA
- SOFT BLUE LIMESTONE
- BROWNSTONE
- ANTHRACITE
- GRAY
- SOFT BROWNSTONE
- GRAPHITE
- SOFT GRAY
- AVENTURINE GREEN
- WHITE
- AGATE BROWN
- AVENTURINE SOFT GREEN
- BLUE LIMESTONE
- LIGHT AGATE BROWN

HEAVY GAUGE VITREOUS ENAMEL STEEL

# SUPERSLIM



THIS SHALLOW MODEL HAS AN ELEGANT AND TIMELESS DESIGN PROVIDING A GENEROUS STANDING AREA AND FREEDOM OF MOVEMENTS. THE EASYSLIM SHOWER TRAYS WILL LOOK ATTRACTIVE IN ANY BATHROOM, BE IT A MODERN STYLED BATHROOM OR A MORE TRADITIONAL ONE. IT IS AN EXCELLENT SOLUTION FOR THE INSTALLATION AT FLOOR LEVEL AND IS UNIQUE DUE TO THE POSITIONING OF THE WASTE VALVE AT THE TOP END OF THE SHOWER TRAY. THE ANGULAR CORNERS PERMIT THE EASYSLIM TO FIT HARMONIOUSLY INTO THE JOINT PATTERN OF THE FLOOR TILES CREATING THE IMPRESSION OF A CONTINUOUS FLOOR PIECE.

**INCLUDES**

Sound insulating set, Waste valve with siphon.

**ACCESSORIES**

Anti-Slip.

**INSTALLATION AIDS**

Taps, Shower cabinets and Hydro-massage Columns.

**AVAILABLE SIZES**

1200 x 750, 1200 x 800, 1200 x 900 mm, 1300 x 750, 1300 x 800, 1300 x 900 mm, 1400 x 750, 1400 x 800, 1400 x 900 mm.

**AVAILABLE COLOURS**




Gloss colours: White and other sanitary colours.  
Matte colours: Black Ardosia, Anthracite, Graphite, White, Blue Limestone, Soft Blue Limestone, Grey, Soft Grey, Agate Brown, Light Agate Brown, Brownstone, Soft Brownstone, Aventurine Green, Aventurine Soft Green.

**REMARKS**

30 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14527.

**STANDARDS**

CE mark according to EN 14527-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.



Ref.	A	B
CE27	1200	750
CE37	1300	750
CE47	1400	750
CE28	1200	800
CE38	1300	800
CE48	1400	800
CE29	1200	900
CE39	1300	900
CE49	1400	900

- BLACK ARDOSIA
- SOFT BLUE LIMESTONE
- BROWNSTONE
- ANTHRACITE
- GRAY
- SOFT BROWNSTONE
- GRAPHITE
- SOFT GRAY
- AVENTURINE GREEN
- WHITE
- AGATE BROWN
- AVENTURINE SOFT GREEN
- BLUE LIMESTONE
- LIGHT AGATE BROWN

HEAVY GAUGE VITREOUS ENAMEL STEEL

EASYSLIM



UNIVERSAL PENTAGONAL ULTRA FLAT SHOWER TRAY.  
 THIS EXTREMELY SHALLOW MODEL WAS DESIGNED WITH AN ELEGANT, CLEAN AND TIMELESS DESIGN PROVIDING A GENEROUS STANDING AREA FOR FREEDOM OF MOVEMENTS.  
 THIS MODEL IS AN IDEAL SOLUTION TO INSTALLATION AT FLOOR LEVEL DUE TO ITS TIGHTER CORNER RADIUS.



**INCLUDES**

Sound insulating set, Waste valve with siphon.

**ACCESSORIES**

Anti-Slip.

**INSTALLATION AIDS**

Taps, Shower cabinets and Hydro-massage Columns.

**AVAILABLE SIZES**

1100 x 1100 x 30 mm  
 1000 x 1000 x 30 mm  
 900 x 900 x 30 mm

**AVAILABLE COLOURS**


Gloss colours: White and other sanitary colours.  
 Matte colours: Black Ardosia, Anthracite, Graphite, White, Blue Limestone, Soft Blue Limestone, Grey, Soft Grey, Agate Brown, Light Agate Brown, Brownstone, Soft Brownstone, Aventurine Green, Aventurine Soft Green.

**REMARKS**

30 years warranty,  
 100% recyclable,  
 Heavy duty performances:  
 Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
 Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14527.

**STANDARDS**

CE mark according to EN 14527-CL1+CL2,  
 Certified with Environdec.com,  
 Environmental Product Declaration according to ISO 14025.



Ref.	A	B	C	D
CP90	900	245	60	450
CP10	1000	295	120	500
CP11	1100	345	170	550

- BLACK ARDOSIA
- ANTHRACITE
- GRAPHITE
- WHITE
- BLUE LIMESTONE
- SOFT BLUE LIMESTONE
- GRAY
- SOFT GRAY
- AGATE BROWN
- LIGHT AGATE BROWN
- BROWNSTONE
- SOFT BROWNSTONE
- AVENTURINE GREEN
- AVENTURINE SOFT GREEN



HEAVY GAUGE VITREOUS ENAMEL STEEL

# UNIVERSAL PENTAGONAL



THE NEW UNIVERSAL HEAVY GAUGE SHOWER TRAY IS A PERFECT EXAMPLE OF ELEGANCE IN THE BATHROOM. THE SMOOTH AND SOBER LINES ADD DISTINCTION WITHOUT LOSING THE HARMONIOUS AESTHETIC VALUE, WHETHER IN SQUARE, CORNER OR RECTANGULAR FORMAT.


**INCLUDES**

Sound insulating set

**ACCESSORIES**

Anti-Slip.  
Shower waste valve Ø90mm.

**INSTALLATION AIDS**

Taps, Shower enclosures and Hydro-massage Columns.

**AVAILABLE SIZES**

Square shape:  
800x800  
900x900  
1000x1000

Rectangular shape:  
900x750  
1000x800  
1200x800  
1300x800  
1400x800

**AVAILABLE COLOURS**


- Gloss colours: White and other sanitary colours.  
- Matte colours: White, Black.

**REMARKS**




30 years warranty .  
100% recyclable.  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14527.

**STANDARDS**

- CE mark according to EN 14527-CL1+CL2,  
- Environmental Product Declaration according to ISO 14025.



Ref.	A	B	C	D	E	F
CR91	900	900	160	ø52	220	220
CR81	800	800	160	ø52	220	220
C106	1000	1000	65	ø90	270	270
C096	900	900	65	ø90	220	220
C086	800	800	65	ø90	220	220
C102	1000	1000	25	ø90	270	270
C092	900	900	25	ø90	220	220
C082	800	800	25	ø90	220	220



Ref.	A	B	C	D	G	H	I	J
CR51	900	750	160	ø52	220	220	---	---
C146	1400	800	65	ø90	220	220	---	---
C136	1300	800	65	ø90	---	---	270	220
C126	1200	800	65	ø90	220	220	---	---
C186	1000	800	65	ø90	---	---	270	245
C056	900	750	65	ø90	220	220	---	---
C142	1400	800	25	ø90	220	220	---	---
C132	1300	800	25	ø90	---	---	270	220
C122	1200	800	25	ø90	220	220	---	---
C182	1000	800	25	ø90	---	---	270	245
C052	900	750	25	ø90	220	220	---	---

HEAVY GAUGE VITREOUS ENAMEL STEEL

# UNIVERSAL



UNIVERSAL HEAVY GAUGE CORNER IS AN EFFICIENT SPACE SAVER, CLEVERLY DESIGNED TO UTILISE MINIMUM BATHROOM SPACE AND PROVIDE YOU WITH MAXIMUM SHOWERING ROOM.

**INCLUDES**

Sound insulating set

**ACCESSORIES**

Anti-Slip.  
Shower waste valve  $\varnothing 90$ mm.

**INSTALLATION AIDS**

Taps, and Hydro-massage Columns.

**AVAILABLE SIZES**

1000 x 1000 mm  
900 x 900 mm

**AVAILABLE COLOURS**



- Gloss colours: White and other sanitary colours.  
- Matte colours: White, Black.

**REMARKS**

30 years warranty .  
100% recyclable.  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14527.

**STANDARDS**

- CE mark according to EN 14527-CL1+CL2,  
- Environmental Product Declaration according to ISO 14025.



Ref.	A	B	C
CC16	1000	1000	65
CC96	900	900	65
CC12	1000	1000	25
CC92	900	900	25

HEAVY GAUGE VITREOUS ENAMEL STEEL  
**UNIVERSAL CORNER**



UNIVERSAL PENTAGONAL ETI SHOWER TRAY.  
EXTRAORDINARY STANDING AREA WITH PLENTY OF FREEDOM WHEN SHOWERING, SPACE-SAVING  
AND ELEGANT DESIGN COMBINED WITH INTEGRATED APRON.  
THIS COMBINATION PROVIDES YOU A SHOWER TRAY EASY TO MAINTAIN, EASY TO INSTALL AND WILL  
LOOK GREAT FOR YEARS TO COME.

All ETI (easy to install) shower trays are made from a heavy gauge vitreous porcelain enamel providing intense strength and durability. The permanently formed apron and tight corner radius saves the difficulty of awkward tiling work. Combined with the Steep shower screen, the shower tray becomes the perfect element in the bathroom.

#### INCLUDES

Sound insulating set, Waste valve with siphon.

#### ACCESSORIES

Anti-Slip.

#### INSTALLATION AIDS

Taps, Shower enclosures and Hydro-massage Columns.

#### AVAILABLE SIZES

1000 x 1000 x 110 mm  
900 x 900 x 110 mm

#### AVAILABLE COLOURS

Gloss colours: White and other sanitary colours.



Matte colours: White, Black.

#### REMARKS

30 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch,  
abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining  
agents according to ISO 28706-1,  
ISO 28706-2 and EN 14527.

#### STANDARDS

CE mark according to EN 14527-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration  
according to ISO 14025.



Ref.	A	B	C	D
C090	900	245	60	450
C010	1000	295	120	500

HEAVY GAUGE VITREOUS ENAMEL STEEL

# UNIVERSAL PENTAGONAL ETI



UNIVERSAL SQUARE ETI SHOWER TRAY.  
IT'S SMOOTH AND SOBER LINES ADD DISTINCTION WITHOUT LOSING THE HARMONIOUS AESTHETIC VALUE. THE FLATNESS INCREASES STANDING AREA AND THE FLAT RIM PROVIDES A BETTER ADAPTATION TO SHOWER ENCLOSURES. EXTRA SAFETY IS ASSURED DUE TO ITS PATTERNED SLIP RESISTANT FOOT AREAS.

All ETI (easy to install) shower trays are made from a heavy gauge vitreous porcelain enamel providing intense strength and durability. The permanently formed apron and tight corner radius saves the difficulty of awkward tiling work. Combined with the Steep shower screens, the shower tray becomes the perfect element in the bathroom.

#### INCLUDES

Sound insulating set, Waste valve.

#### ACCESSORIES

Anti-Slip.

#### INSTALLATION AIDS

Taps, Shower enclosures and Hydro-massage Columns.

#### AVAILABLE SIZES

900 x 900 x 110 mm  
800 x 800 x 110 mm  
700 x 700 x 110 mm

#### AVAILABLE COLOURS


Gloss colours: White and other sanitary colours.  
Matte colours: White, Black.

#### REMARKS

30 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch,  
abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining  
agents according to ISO 28706-1,  
ISO 28706-2 and EN 14527.

#### STANDARDS

CE mark according to EN 14527-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration  
according to ISO 14025.



Ref.	A	B	C	D
CD70	700	190	620	480
CD80	800	250	720	580
CD90	900	250	820	680

HEAVY GAUGE VITREOUS ENAMEL STEEL

# UNIVERSAL SQUARE ETI



IT'S SMOOTH AND SOBER LINES ADD DISTINCTION WITHOUT LOSING THE HARMONIOUS AESTHETIC VALUE. THE FLAT RIM TRAY PROVIDES A BETTER ADAPTATION TO SHOWER ENCLOSURES.



**ACCESSORIES**

Embossed anti-slip, Sound insulating set.

**INSTALLATION AIDS**

Waste Valve, Taps, Shower tray furniture, Shower cabinets and Hydro-massage Columns.

**AVAILABLE SIZES**

900 x 900 mm  
800 x 800 mm  
700 x 700 mm



**Low deep line:**

900 X 900 x 70 mm  
800 X 800 x 70 mm  
700 X 700 x 70 mm

**AVAILABLE COLOURS**



White and other sanitary colours.

**REMARKS**

5 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14527.

**STANDARDS**

CE mark according to EN 14527-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration according to ISO 14025.



Ref.	A	B	C	D	Anti-slip
CF90	900	740	135	220	yes
CF80	800	640	135	205	yes
CF70	700	540	135	195	yes
CO90	900	740	135	220	no
CL80	800	640	135	205	no
CL70	700	540	135	195	no
CO97	900	740	70	220	no
CL87	800	640	70	205	no
CL77	700	540	70	195	no
CF97	900	740	70	220	yes
CF87	800	640	70	205	yes
CF77	700	540	70	195	yes

STANDARD GAUGE VITREOUS ENAMEL STEEL

# UNIVERSAL



THE UNIVERSAL CORNER SG SHOWER TRAY HAS A ROUND EXTERIOR DESIGN AND LOW INSTALLATION HEIGHT. THIS MAKES IT AN IDEAL SOLUTION FOR SMALL BATHROOMS, OLD BUILDINGS AND RENOVATIONS.

**NEW**



**ACCESSORIES**

Anti-slip, Sound insulating set.

**INSTALLATION AIDS**

Taps, and Hydro-massage Columns.

**AVAILABLE SIZES**

1000 x 1000 mm  
900 x 900 mm

**AVAILABLE COLOURS**



White and other sanitary colours.

**REMARKS**

5 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch,  
abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining  
agents according to ISO 28706-1,  
ISO 28706-2 and EN 14527.

**STANDARDS**

CE mark according to EN 14527-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration  
according to ISO 14025.



Ref.	A	B	C
C16C	1000	1000	65
C96C	900	900	65

STANDARD GAUGE VITREOUS ENAMEL STEEL  
**UNIVERSAL CORNER**



**TRADITIONAL SHAPED SQUARE RIM SHOWER TRAY.**



**ACCESSORIES**

Embossed anti-slip, Sound insulating set.

**INSTALLATION AIDS**

Waste Valve, Taps, Shower tray furniture, Shower cabinets and Hydro-massage Columns.

**AVAILABLE SIZES**

800 x 800 mm  
700 x 700 mm

**Low deep line:**

800 x 800 x 80 mm  
700 x 700 x 65 mm

**Corner:**

700 x 700 mm

**AVAILABLE COLOURS**



White and other sanitary colours.

**REMARKS**


5 years warranty,  
100% recyclable,  
Heavy duty performances:  
Resistant to surface impacts, scratch,  
abrasion, colourfast and lightfast.  
Proven resistance to chemical and staining  
agents according to ISO 28706-1,  
ISO 28706-2 and EN 14527.

**STANDARDS**

CE mark according to EN 14527-CL1+CL2,  
Certified with Environdec.com,  
Environmental Product Declaration  
according to ISO 14025.



Ref.	A	B	C	D	Anti-slip
CO81	800	710	135	155	yes
CO88	800	710	80	155	yes
CO71	700	610	135	155	yes
CO76	700	610	65	155	yes



Ref.	A	B	C	D	Anti-slip
COOC	700	610	120	150	no

STANDARD GAUGE VITREOUS ENAMEL STEEL

# EUROPA



BUILT-IN WASH-BASIN, OVAL SHAPE 550MMX450MM, GLAZED INSIDE AND OUTSIDE. THE GLOBO FEATURES A PLEASING OVAL SHAPE THAT SUITS A VARIETY OF BATHROOM DESIGNS AND IS ADAPTABLE TO A WIDE VARIETY OF BATHROOM SOLUTIONS SUCH AS PRIVATE, PUBLIC OR HEAVY DUTY PROPOSES. VITREOUS ENAMEL STEEL CONSTRUCTION, GLAZED ON BOTH SIDES WITH THREE ENAMEL LAYERS AND FIRED TWICE MAKES THIS WASH-BASIN BOTH EASY TO CLEAN AND INCREDIBLY DURABLE.



**INCLUDES**

Tap and overflow hole

**AVAILABLE SIZES**

550mm x 450mm x h160mm

**ACCESSORIES**

Waste valve with overflow set

**AVAILABLE COLOURS**


White, Black and other sanitary colours  
Matte colours: White, Black

**REMARKS**

5 years warranty,  
100% recyclable,  
Proven resistance to surface impacts,  
scratch and abrasion, colourfast, lightfast  
as chemical and staining agents resistant  
according to ISO 28706-1,  
ISO 28706-2 and NP EN 14516.

**STANDARDS**

CE mark according to NP EN 14688-  
CL25, Certified with Environdec.com,  
Environmental Product Declaration  
according to ISO 14025.



HEAVY GAUGE VITREOUS ENAMEL STEEL

GLOBO



DROP-IN WASH-BASIN, ROUND Ø500MM, GLAZED INSIDE AND OUTSIDE. SMOOTH, ROUNDED EDGES AND A CIRCULAR DESIGN GIVE THE RONDO A CLEAN LOOK THAT SUITS A VARIETY OF DECORS. THIS COMPACT WASH-BASIN MAKES IT AN ELEGANT SOLUTION FOR SMALL BATHROOMS. VITREOUS ENAMEL STEEL CONSTRUCTION, GLAZED ON BOTH SIDES WITH THREE ENAMEL LAYERS AND FIRED TWICE MAKES THIS WASH-BASIN BOTH EASY TO CLEAN AND INCREDIBLY DURABLE.

#### INCLUDES

Tap and overflow hole

#### AVAILABLE SIZES

Ø500mm x h170mm

#### ACCESSORIES

Waste valve with overflow set

#### AVAILABLE COLOURS


White, Black and other sanitary colours  
Matte colours: White, Black

#### REMARKS

5 years warranty,  
100% recyclable,  
Proven resistance to surface impacts,  
scratch and abrasion, colourfast, lightfast  
as chemical and staining agents resistant  
according to ISO 28706-1,  
ISO 28706-2 and NP EN 14516.

#### STANDARDS

CE mark according to NP EN 14688-  
CL25, Certified with Environdec.com,  
Environmental Product Declaration  
according to ISO 14025.



HEAVY GAUGE VITREOUS ENAMEL STEEL

# RONDO



SIT-ON WASH-BASIN, RECTANGULAR SHAPE, GLAZED INSIDE AND OUTSIDE. THE BALTIC SINK FEATURES A UNIQUE SQUARED SHAPE, AN EASY AND TIMELESS DESIGN SOLUTION TO REFLECT YOUR UNIQUE BATHROOM STYLE. VITREOUS ENAMEL STEEL CONSTRUCTION, GLAZED ON BOTH SIDES WITH THREE ENAMEL LAYERS AND FIRED TWICE MAKES THIS WASH-BASIN BOTH EASY TO CLEAN AND INCREDIBLY DURABLE.



**INCLUDES**

Tap and overflow hole

**AVAILABLE SIZES**

600 x 430 x h30mm  
800 x 430 x h30mm  
1000 x 430 x h30mm

**ACCESSORIES**

Waste valve with overflow set

**AVAILABLE COLOURS**


White, Black and other sanitary colours  
Matte colours: White, Black

**REMARKS**

5 years warranty,  
100% recyclable,  
Proven resistance to surface impacts,  
scratch and abrasion, colourfast, lightfast  
as chemical and staining agents resistant  
according to ISO 28706-1,  
ISO 28706-2 and NP EN 14516.

**STANDARDS**

CE mark according to NP EN 14688-  
CL25, Certified with Environdec.com,  
Environmental Product Declaration  
according to ISO 14025.



HEAVY GAUGE VITREOUS ENAMEL STEEL

# BALTIC



SIT-ON WASH-BASIN, RECTANGULAR SHAPE, GLAZED INSIDE AND OUTSIDE. THE MEDITERRANEAN SINK FEATURES A UNIQUE SQUARED SHAPE. AVAILABLE IN 3 DIFFERENT SIZES TO MEET YOUR NEEDS. EASILY INTEGRATED IN BATHROOM FURNITURE. VITREOUS ENAMEL STEEL CONSTRUCTION, GLAZED ON BOTH SIDES WITH TREE ENAMEL LAYERS AND FIRED TWICE MAKES THIS WASH-BASIN BOTH EASY TO CLEAN AND INCREDIBLY DURABLE.



**INCLUDES**

Tap and overflow hole

**AVAILABLE SIZES**

- 600 x 500 x h125mm
- 800 x 500 x h125mm
- 1000 x 500 x h125mm

**ACCESSORIES**

Waste valve with overflow set

**AVAILABLE COLOURS**

White, Black and other sanitary colours  
Matte colours: White, Black

**REMARKS**

5 years warranty,  
100% recyclable,  
Proven resistance to surface impacts,  
scratch and abrasion, colourfast, lightfast  
as chemical and staining agents resistant  
according to ISO 28706-1,  
ISO 28706-2 and NP EN 14516.

**STANDARDS**


CE mark according to NP EN 14688-  
CL25, Certified with Environdec.com,  
Environmental Product Declaration  
according to ISO 14025.

**FURNITURE STRUCTURE**


Built in stainless steel

**DRAWER'S STRUCTURE**

16mm particle board with front in 19mm  
particle board and sides in lacquered steel  
Drawer's exterior: melamine-lined in  
Wengue or Oak  
Drawer with silent sliding system with  
soft-close



With Furniture



HEAVY GAUGE VITREOUS ENAMEL STEEL  
**MEDITERRANEAN**

**DISCONTINUED**  
**TO 2020**



## ACCESSORIES



### WHIRL SYSTEM

The massage is done by the injection of water mixed with air bubbles through a series of 6 lateral injectors. The adjustable jets provide an intense and stimulating massage to the skin and muscles. Digital HID system is controlled by digital command, very practical and functional and features an electronic water level sensor for extra safety.



### HANDGRIPS

A00ACRPR#  
Handgrip (pair) Chromed model PURE.



A00ACRNT#  
Handgrip (pair) Chromed model NATURE.



A00ACRFR#  
Handgrip ( pair ) Chromed model FRESH.

A00ACRFD#  
Handgrip ( single ) Chromed model FRESH - for Double-ended bathtubs.

## ACCESSORIES



### ANTI-SLIP

The anti-slip offers excellent underfoot safety in the shower tray or bathtubs.


#### ENAMELLED ANTI-SLIP

Our enamel anti-slip is obtained from a mixture of sand-quartz and special frits firmly bonded to vitreous enamel steel surface at a temperature superior to 850oC. The enamel anti-slip will stand the test of time and will not wear off with permanent use. Available for all models.

#### EMBOSED ANTI-SLIP

Only for Standard gauge models:

- Universal / Universal LV
- Europa / Europa LV



### SOUNDPROOFING KIT

BLB Vitreous Enamel Steel Bathtubs and Shower Trays in conjunction with BLB soundproof pads provide optimum sound protection against the noise impact during use.



### SPECIAL FEATURES

BLB bathtubs are developed to permit special features such as drill holes for taps and handles.



### ENAMEL REPAIRING KIT

A00KITR0#





## INSTALLATION AIDS

### BATHTUB FEET



APMROSZF#

BOLT AND SELF ADHESIVE LEG SET "ADAPT"  
(Compatible with all bathtub models - HG and SG range) except bathtubs with seat



APMROS10#

BOLT ON LEG SET  
(Models: Duo C. \ Duo C. Oval \ Univ. Duo HG \ Univ. Anat. HG \ Univ. LV HG \ Univ. Anat. \ Univ. \ Univ. LV \ Eur. Anat. \ Eur. \ Eur. LV)



APMSTDBL#

BOLT AND SELF ADHESIVE LEG SET "STANDARD FEET 70/75"  
(Models: Univ. Anat. \ Univ. \ Univ LV \ Eur. Anat. \ Eur. \ Eur. LV)



A05EROS3#

BOLT ON LEG SET  
(Models: Europa mini 105x70 with seat)

A2SEROS3#

BOLT ON LEG SET  
(Models: Europa 120x70 with seat)



APMROS11#

BOLT ON LEG SET  
(Models: Atlantica HG \ Atlântica)



APMAAD10#

SELF-ADHESIVE LEG SET  
(Models: Univ. \ Univ. Anat. \ Univ LV, Eur. Anat. \ Eur. \ Eur. LV)

## INSTALLATION AIDS



### VITREOUS ENAMEL STEEL PANELS


Our Paneling system offers versatility in the bathroom, permitting the bathtub to be replaced without any damages to the floor and wall tiles.

The strong points of this system is the easy and clean installation as well as the fact that the Vitreous Enamel Steel panels match perfectly with the bathtub, porcelain sanitary ware, tiles and enclosures giving it an harmonized appearance in your bathroom.

#### WITH PLINTH

Front Panel with plinth For Bathtubs (no feet included) with 1800mm length  
 Front Panel with plinth For Bathtubs (no feet included) with 1700mm length  
 Front Panel with plinth For Bathtubs (no feet included) with 1600mm length  
 Front Panel with plinth For Bathtubs (no feet included) with 1500mm length  
 Front Panel with plinth For Bathtubs (no feet included) with 1400mm length  
 Front Panel with plinth For Bathtubs (no feet included) with 1300mm length  
 Front Panel with plinth For Bathtubs (no feet included) with 1200mm length

PF182100#  
 PF172100#  
 PF162100#  
 PF152100#  
 PF142100#  
 PF132100#  
 PF122100#



Side Panel with plinth For Bathtubs (no feet included) with 800 width  
 Side Panel with plinth For Bathtubs (no feet included) with 750 width  
 Side Panel with plinth For Bathtubs (no feet included) with 700 width

PL802100#  
 PL752100#  
 PL702100#



#### WITHOUT PLINTH

Front Panel without plinth For Bathtubs (no feet included) with 1800mm length  
 Front Panel without plinth For Bathtubs (no feet included) with 1700mm length  
 Front Panel without plinth For Bathtubs (no feet included) with 1600mm length  
 Front Panel without plinth For Bathtubs (no feet included) with 1500mm length  
 Front Panel without plinth For Bathtubs (no feet included) with 1400mm length  
 Front Panel without plinth For Bathtubs (no feet included) with 1300mm length  
 Front Panel without plinth For Bathtubs (no feet included) with 1200mm length

PF182000#  
 PF172000#  
 PF162000#  
 PF152000#  
 PF142000#  
 PF132000#  
 PF122000#



Side Panel without plinth For Bathtubs (no feet included) with 800 width  
 Side Panel without plinth For Bathtubs (no feet included) with 750 width  
 Side Panel without plinth For Bathtubs (no feet included) with 700 width

PL802000#  
 PL752000#  
 PL702000#



## INSTALLATION AIDS

### WASTE VALVES

#### BATHTUBS

- |   |           |  |
|---|-----------|--|
| 1 | A00VAUT6# | Bathtub Pop-up cable Overflow/Waste (equipped with a brass plug, syphon, chrome handle and covering plug). |
| 2 | A00VALC6# | Bathtub Overflow/Waste valve (equipped with siphon, overflow and connection pipe).                         |
| 3 | A00VSMP6# | Bathtub Overflow/Waste valve (equipped with overflow and low deep connection pipe).                        |

#### SHOWER TRAYS

- |   |           |   |
|---|-----------|---|
| 4 | A90VHL00# | Shower Tray Ø90 Horizontal Waste valve (Horizontal outlet).                       |
| 5 | A90VVL00# | Shower Tray Ø90 Waste valve (Vertical outlet).                                    |
| 6 | A50VBCH0# | Shower tray Ø52 waste valve with stainless steel flat mirror (Horizontal outlet). |
| 7 | A50VBCV0# | Shower tray Ø52 waste valve with stainless steel flat mirror (Vertical outlet)    |

#### WASHBASINS

- |    |           |  |
|----|-----------|--|
| 8  | A00VALLC# | Chrome plated Quick Clac waste with chrome plated plastic body and shroud.<br>Brass overflow connection. |
| 9  | A00SIFCR# | Chrome plated 1 1/4" ABS bottle trap, 75mm waterseal.  |
| 10 | A00VALLB# | All in one bottle trap with white Quick Clac plug and chrome face overflow.                              |

### BATHROOM GRAB RAILS

- |    |           |  |
|----|-----------|--|
| 12 | ABAPDRT3# | Bath Straight Rails 30cm                 |
| 13 | ABAPDRT4# | Bath Grab Straight Rails 40cm            |
| 14 | ABAPDRT5# | Bath Grab Straight Rails 50cm            |
| 15 | ABAPANGO# | Bath Grab Rails with angle               |
| 16 | ABAPANGS# | Bath Grab Rails with angle and soap dish |



## INSTALLATION AIDS

### TAPS

#### UNIC SERIES

Unic's tube-shape results in a distinctive piece that evokes elegance. Definitely, the perfect choice for an elegant and contemporary bathroom.

Shower mixer handshower, shower holder and 175cm flexible shower hose included

Bath-shower single lever mixer for bathtub, handshower, shower holder and 175cm flexible shower hose included

Shower Column with thermostatic mixer, Large overhead shower (20cm): with rotation angle, handshower, shower holder and 175cm flexible shower hose included

Washbasin mixer single lever mixer for washbasin with 3/8" flexible connection hoses included, 7° adjustable aerator

1 ATUBCH00#

2 ATUBNH00#

3 ATUBCH10#

4 ATULAV00#



#### ART SERIES

If for this price all you expect is to economize, this tap will come as a surprise. The handle follows the body's deviation reflecting a dynamic aesthetic. A very unusual feature in such a low-priced piece.

Shower mixer with 25mm ceramic cartridge, hand held and 170mm PVC flexible shower hose

Bath-shower with 25mm ceramic cartridge, hand held and 170mm PVC flexible shower hose

Washbasin mixer with open waterfall, ceramic cartridge and supply hoses included

Washbasin mixer with orientable aerator M24 5l/min, ceramic cartridge and supply hoses included

5 ATABCH00#

6 ATABNH00#

7 ATALAV00#

8 ATALAVC0#



#### GRECIA SERIES

For those who enjoy classic lines, Grécia is the right option.

Combined with all BLB bathtubs and Shower trays range, the result is a noble and refined atmosphere.

"Wall-mounted" Dual Control Shower mixer with manual diverter, flexible shower hose, rotating conical nut, hand-shower and swivel wall bracket.

"Wall-mounted" Dual Control Bath-Shower mixer with manual diverter, flexible shower hose, rotating conical nut, hand-shower and swivel wall bracket.

9 ATGBCH00#

10 ATGBNH00#



#### BALANCE SERIES

Bath-shower Floor-standing Bath shower mixer tap with 1.70m flexible shower hose, hand shower and swivel wall bracket, Ideal for use with free standing baths

11 ATCBNH10#



## INSTALLATION AIDS

### BATHTUB ENCLOSURES

#### Total protection.

Step has now available a range of bathtub screens 100% compatible with BLB bathtubs. This solution is composed by two panels (one fixed plus one pivot) that results in total protection.



Materials: Chromed or White frame finishes and 6mm tempered safety glass.

ADSTPBN1#


Side bath screen 1 fixed screen with stabilising bar to opposing wall (left/right rectangular bathtub) dimensions: 900x1500 mm

ADSTPBN2#

Side bath screen 1 180° hinged pivot door with one fixed panel (left/right rectangular bathtub) dimensions: 1200x1500 mm



BATHTUB SIMPLE  
PANEL ENCLOSURE  
(REVERSIBLE)



BATHTUB DOUBLE  
PANEL ENCLOSURE  
(REVERSIBLE)



### SHOWERTRAYS ENCLOSURES

#### Optimizing space at a bargain.

Step, a walk in enclosure that minimizes frames' use, combines functional design with unparalleled durability, respecting contemporary styling. It's a practical and versatile range that meets the highest quality standards. With 2 fixed panels and 2 sliding panels, ensures total water retention and practical access to the showering area, even in small spaces.

Materials: Chromed or White frame finishes and 6mm tempered safety glass.

ADSTP770#

Step 70 square shower enclosure

ADSTP880#

Step 80 Square

ADSTP990#

Step 90 Square

ADSTPP90#

Step 90 Pentagonal shower enclosure - Compatible with Universal Pentagonal ETI art. Code: CQ9/900x900\*

ADSTPP10#

Step 100 Pentagonal shower enclosure - Compatible with Universal Pentagonal ETI art. Code: CQ10 /1000x1000\*

\* Pentagonal versión: With two fixed panels and one pivot door





MORE INFO AT [WWW.BLB.PT](http://WWW.BLB.PT)

ALL DATA PRESENTED ON THIS CATALOGUE CAN BE CHANGED OR UPDATED WITH NO PREVIOUS WARNING.  
 ILLUSTRATIONS ARE SIMILAR AND SUBJECT TO TECHNICAL ALTERATIONS, TOLERANCES AND ERRORS.  
 WARRANTY CONDITIONS ARE SUBJECT TO PRODUCT SPECIFICATIONS OR OTHER.  
 PLEASE ASK FOR DETAILED INFORMATION.

© 2018 BLB, S.A.



[WWW.BLB.PT](http://WWW.BLB.PT)



WWW.BLB.PT



**BLB - INDÚSTRIAS METALÚRGICAS, S.A.**

Apartado (P.O. Box) 3041 - Alagôa  
3754-901 Águeda - Portugal

Tel. +351 234 630 410  
Fax +351 234 630 416

GPS coordinates:  
40° 35' 32.8" N  
8° 27' 40.5" W

blb@blb.pt



Environmental product declaration  
Declaração ambiental de produto  
EPD

environdec.com

ISO 14025